



The product advantages




The enclosure body in the “stylish” asymmetric design consists of a powder-coated aluminium profile and can be designed in length and colour to match the application.



The system groove integrated in the profile allows the mounting of optional design and functional elements such as decor strips, wall fittings, tower and tip-up feet.



The profile variants – closed (ASP), horizontally divided (ASPH) or open on one side (ASPU) – provide a suitable enclosure solution for every installation situation.



Contact surfaces which contact the lid to the profile guarantee good EMC protection. EMC seals are available if greater protection is required.



Different lid variants with and without a hinge, and coloured seals, ensure a high level of protection and give access to the interior if required.



Quick-Finder:
www.bopla.de/94

Examples of use





BOPLA

A Phoenix Mecano Company

Alustyle



Colour:

● Graphite grey, similar to RAL 7024

● Silver, similar to RAL 9006

Special colours on request

Protection class:

ASP: up to IP66 / IP68 (1.2 m - 2 h) / DIN EN 60529
when using ASD

ASPH: IP65 / DIN EN 60529

ASPU: IP40 / DIN EN 60529

Material:

Extruded profiles: Al Mg Si 0,5 powder coated

Die-cast lid: zinc alloy Z410 / aluminium

GD Al Si 12 (ASD 1540 / 1835), powder coated


Seal: TPE

For details see technical information.




Profile cross-sections


ASP...830




ASP...1030




ASP...1230




ASP...1540



ASP...1835




ASP...1850




Enclosure versions

ASPH
(horizontally divided)




ASP
(closed)



Design seals




End covers
ASD




Lid variants


ASM-AL



ASM-SAL 1



ASM-SAL 2






BOPLA

A Phoenix Mecano Company

Alustyle



Dimensions

Model	A	B	C
ASP...800	74	32.8	*
ASP...1030	98.5	32.8	*
ASP...1230	121	32.8	*
ASP...1540	154	44	*
ASP...1835	181.7	36.6	*
ASP...1850	187	54.6	*

* C = Standard lengths: 100 / 150 / 200 / 1000
Individual profile lengths on request.


Profile cross-sections

Model	ASP	ABPH	ASPU
ASP...800	✓	✓	✓
ASP...1030	✓	✓	✓
ASP...1230	✓	✓	✓
ASP...1540	✓	✓	✓
ASP...1835		✓	
ASP...1850	✓	✓	✓

Lid variants


Model	ASD	ASM	ASM SAL
ASP...800	✓	✓	✓
ASP...1030	✓	✓	✓
ASP...1230	✓	✓	✓
ASP...1540	✓		
ASP...1835	✓		
ASP...1850	✓		

Accessories



Alustyle

Enclosure profiles, closed




Enclosure profiles, closed

Model	Order no.	A	B	C	Colour
ASP 830-0100 7024	94112100	74	32.8	100	Graphite grey
ASP 830-0100 9006	94111100	74	32.8	100	Silver
ASP 830-0150 7024	94112150	74	32.8	150	Graphite grey
ASP 830-0150 9006	94111150	74	32.8	150	Silver
ASP 830-0200 7024	94112200	74	32.8	200	Graphite grey
ASP 830-0200 9006	94111200	74 <td 32.8	200	Silver	
ASP 830-1000 7024	94112000	74	32.8	1000	Graphite grey
ASP 830-1000 9006	94111000	74	32.8	1000	Silver

Scope Of Delivery: Enclosure profile

Notes: C = profile length, special lengths on request.



Z-2803174

Alustyle



Enclosure profiles, closed

Enclosure profiles, closed

Model	Order no.	A	B	C	Colour
ASP 1030-0100 7024	94122100	98.5	32.8	100	Graphite grey
ASP 1030-0100 9006	94121100	98.5	32.8	100	Silver
ASP 1030-0150 7024	94122150	98.5	32.8	150	Graphite grey
ASP 1030-0150 9006	94121150	98.5	32.8	150	Silver
ASP 1030-0200 7024	94122200	98.5	32.8	200	Graphite grey
ASP 1030-0200 9006	94121200	98.5	32.8	200	Silver
ASP 1030-1000 7024	94122000	98.5	32.8	1000	Graphite grey
ASP 1030-1000 9006	94121000	98.5	32.8	1000	Silver


Scope Of Delivery: Enclosure profile

Notes: C = profile length, special lengths on request.



Alustyle

Enclosure profiles, closed




Enclosure profiles, closed

Model	Order no.	A	B	C	Colour
ASP 1230-0100 7024	94132100	121	32.8	100	Graphite grey
ASP 1230-0100 9006	94131100	121	32.8	100	Silver
ASP 1230-0150 7024	94132150	121	32.8	150	Graphite grey
ASP 1230-0150 9006	94131150	121	32.8	150	Silver
ASP 1230-0200 7024	94132200	121	32.8	200	Graphite grey
ASP 1230-0200 9006	94131200	121	32.8	200	Silver
ASP 1230-1000 7024	94132000	121	32.8	1000	Graphite grey
ASP 1230-1000 9006	94131000	121	32.8	1000	Silver

Scope Of Delivery: Enclosure profile

Notes: C = profile length, special lengths on request.




Alustyle

Enclosure profiles, closed


Enclosure profiles, closed

Model	Order no.	A	B	C	Colour
ASP 1540-0100 7024	94152100	154	44	100	Graphite grey
ASP 1540-0100 9006	94151100	154	44	100	Silver
ASP 1540-0150 7024	94152150	154	44	150	Graphite grey
ASP 1540-0150 9006	94151150	154	44	150	Silver
ASP 1540-0200 7024	94152200	154	44	200	Graphite grey
ASP 1540-0200 9006	94151200	154	44	200	Silver
ASP 1540-1000 7024	94152000	154	44	1000	Graphite grey
ASP 1540-1000 9006	94151000	154	44	1000	Silver




Scope Of Delivery: Enclosure profile

Notes: C = profile length, special lengths on request.



Alustyle

Enclosure profiles, closed




Enclosure profiles, closed

Model	Order no.	A	B	C	Colour
ASP 1850-0100 7024	94142100	187	54.6	100	Graphite grey
ASP 1850-0100 9006	94141100	187	54.6	100	Silver
ASP 1850-0150 7024	94142150	187	54.6	150	Graphite grey
ASP 1850-0150 9006	94141150	187	54.6	150	Silver
ASP 1850-0200 7024	94142200	187	54.6	200	Graphite grey
ASP 1850-0200 9006	94141200	187	54.6	200	Silver
ASP 1850-1000 7024	94142000	187	54.6	1000	Graphite grey
ASP 1850-1000 9006	94141000	187	54.6	1000	Silver

Scope Of Delivery: Enclosure profile

Notes: C = profile length, special lengths on request.




Alustyle

Enclosure profiles, horizontally-divided


Enclosure profiles, horizontally-divided

Model	Order no.	A	B	C	Colour
ASPH 830-0100 7024	94212100	74	32.8	100	Graphite grey
ASPH 830-0100 9006	94211100	74	32.8	100	Silver
ASPH 830-0150 7024	94212150	74	32.8	150	Graphite grey
ASPH 830-0150 9006	94211150	74	32.8	150	Silver
ASPH 830-0200 7024	94212200	74	32.8	200	Graphite grey
ASPH 830-0200 9006	94211200	74	32.8	200	Silver
ASPH 830-1000 7024	94212000	74	32.8	1000	Graphite grey
ASPH 830-1000 9006	94211000	74	32.8	1000	Silver




Scope Of Delivery: Enclosure profile, two parts including profile seal

Notes: C = profile length, special lengths on request.



Alustyle

Enclosure profiles, horizontally-divided




Enclosure profiles, horizontally-divided

Model	Order no.	A	B	C	Colour
ASPH 1030-0100 7024	94222100	98.5	32.8	100	Graphite grey
ASPH 1030-0100 9006	94221100	98.5	32.8	100	Silver
ASPH 1030-0150 7024	94222150	98.5	32.8	150	Graphite grey
ASPH 1030-0150 9006	94221150	98.5	32.8	150	Silver
ASPH 1030-0200 7024	94222200	98.5	32.8	200	Graphite grey
ASPH 1030-0200 9006	94221200	98.5	32.8	200	Silver
ASPH 1030-1000 7024	94222000	98.5	32.8	1000	Graphite grey
ASPH 1030-1000 9006	94221000	98.5	32.8	1000	Silver

Scope Of Delivery: Enclosure profile, two parts including profile seal

Notes: C = profile length, special lengths on request.




Alustyle

Enclosure profiles, horizontally-divided


Enclosure profiles, horizontally-divided

Model	Order no.	A	B	C	Colour
ASPH 1230-0100 7024	94232100	121	32.8	100	Graphite grey
ASPH 1230-0100 9006	94231100	121	32.8	100	Silver
ASPH 1230-0150 7024	94232150	121	32.8	150	Graphite grey
ASPH 1230-0150 9006	94231150	121	32.8	150	Silver
ASPH 1230-0200 7024	94232200	121	32.8	200	Graphite grey
ASPH 1230-0200 9006	94231200	121	32.8	200	Silver
ASPH 1230-1000 7024	94232000	121	32.8	1000	Graphite grey
ASPH 1230-1000 9006	94231000	121	32.8	1000	Silver



Scope Of Delivery: Enclosure profile, two parts including profile seal

Notes: C = profile length, special lengths on request.



Alustyle

Enclosure profiles, horizontally-divided




Enclosure profiles, horizontally-divided

Model	Order no.	A	B	C
ASPH 1540-0100 7024	94252100	154	44	100
ASPH 1540-0100 9006	94251100	154	44	100
ASPH 1540-0150 7024	94252150	154	44	150
ASPH 1540-0150 9006	94251150	154	44	150
ASPH 1540-0200 7024	94252200	154	44	200
ASPH 1540-0200 9006	94251200	154	44	200
ASPH 1540-1000 7024	94252000	154	44	1000
ASPH 1540-1000 9006	94251000	154	44	1000

Scope Of Delivery: Enclosure profile, two parts including profile seal

Notes: C = profile length, special lengths on request.



Z-2804.120

Alustyle

Enclosure profiles, horizontally-divided


Enclosure profiles, horizontally-divided

Model	Order no.	A	B	C	Colour
ASPH 1835-0100 7024	94272100	181.7	36.6	100	Graphite grey
ASPH 1835-0100 9006	94271100	181.7	36.6	100	Silver
ASPH 1835-0150 7024	94272150	181.7	36.6	150	Graphite grey
ASPH 1835-0150 9006	94271150	181.7	36.6	150	Silver
ASPH 1835-0200 7024	94272200	181.7	36.6	200	Graphite grey
ASPH 1835-0200 9006	94271200	181.7	36.6	200	Silver
ASPH 1835-1000 7024	94272000	181.7	36.6	1000	Graphite grey
ASPH 1835-1000 9006	94271000	181.7	36.6	1000	Silver



Scope Of Delivery: Enclosure profile, two parts including profile seal

Notes: C = profile length, special lengths on request.



Alustyle

Enclosure profiles, horizontally-divided




Enclosure profiles, horizontally-divided

Model	Order no.	A	B	C	Colour
ASPH 1850-0100 7024	94242100	187	54.6	100	Graphite grey
ASPH 1850-0100 9006	94241100	187	54.6	100	Silver
ASPH 1850-0150 7024	94242150	187	54.6	150	Graphite grey
ASPH 1850-0150 9006	94241150	187	54.6	150	Silver
ASPH 1850-0200 7024	94242200	187 <td 54.6	200	Graphite grey	
ASPH 1850-0200 9006	94241200	187	54.6	200	Silver
ASPH 1850-1000 7024	94242000	187	54.6	1000	Graphite grey
ASPH 1850-1000 9006	94241000	187	54.6	1000	Silver

Scope Of Delivery: Enclosure profile, two parts including profile seal

Notes: C = profile length, special lengths on request.



Z-2803177

Alustyle

Enclosure profiles, open on one side


Enclosure profiles, open on one side

Model	Order no.	A	B	C	Colour
ASPU 830-0100 7024	94312100	74	32.8	100	Graphite grey
ASPU 830-0100 9006	94311100	74	32.8	100	Silver
ASPU 830-0150 7024	94312150	74	32.8	150	Graphite grey
ASPU 830-0150 9006	94311150	74	32.8	150	Silver
ASPU 830-0200 7024	94312200	74	32.8	200	Graphite grey
ASPU 830-0200 9006	94311200	74	32.8	200	Silver
ASPU 830-1000 7024	94312000	74	32.8	1000	Graphite grey
ASPU 830-1000 9006	94311000	74	32.8	1000	Silver




Scope Of Delivery: Enclosure profile

Notes: C = profile length, special lengths on request.



Alustyle

Enclosure profiles, open on one side




Enclosure profiles, open on one side

Model	Order no.	A	B	C	Colour
ASPU 1030-0100 7024	94322100	98.5	32.8	100	Graphite grey
ASPU 1030-0100 9006	94321100	98.5	32.8	100	Silver
ASPU 1030-0150 7024	94322150	98.5	32.8	150	Graphite grey
ASPU 1030-0150 9006	94321150	98.5	32.8	150	Silver
ASPU 1030-0200 7024	94322200	98.5	32.8	200	Graphite grey
ASPU 1030-0200 9006	94321200	98.5	32.8	200	Silver
ASPU 1030-1000 7024	94322000	98.5	32.8	1000	Graphite grey
ASPU 1030-1000 9006	94321000	98.5	32.8	1000	Silver

Scope Of Delivery: Enclosure profile

Notes: C = profile length, special lengths on request.




Z-2803175

Alustyle

Enclosure profiles, open on one side


Enclosure profiles, open on one side

Model	Order no.	A	B	C	Colour
ASPU 1230-0100 7024	94332100	121	32.8	100	Graphite grey
ASPU 1230-0100 9006	94331100	121	32.8	100	Silver
ASPU 1230-0150 7024	94332150	121	32.8	150	Graphite grey
ASPU 1230-0150 9006	94331150	121	32.8	150	Silver
ASPU 1230-0200 7024	94332200	121	32.8	200	Graphite grey
ASPU 1230-0200 9006	94331200	121	32.8	200	Silver
ASPU 1230-1000 7024	94332000	121	32.8	1000	Graphite grey
ASPU 1230-1000 9006	94331000	121	32.8	1000	Silver



Scope Of Delivery: Enclosure profile

Notes: C = profile length, special lengths on request.



Alustyle

Enclosure profiles, open on one side




Enclosure profiles, open on one side

Model	Order no.	A	B	C
ASPU 1540-0100 7024	94352100	154	44	100
ASPU 1540-0100 9006	94351100	154	44	100
ASPU 1540-0150 7024	94352150	154	44	150
ASPU 1540-0150 9006	94351150	154	44	150
ASPU 1540-0200 7024	94352200	154	44	200
ASPU 1540-0200 9006	94351200	154	44	200
ASPU 1540-1000 7024	94352000	154	44	1000
ASPU 1540-1000 9006	94351000	154	44	1000

Scope Of Delivery: Enclosure profile

Notes: C = profile length, special lengths on request.




Alustyle

Enclosure profiles, open on one side


Enclosure profiles, open on one side

Model	Order no.	A	B	C	Colour
ASPU 1850-0100 7024	94342100	187	54.6	100	Graphite grey
ASPU 1850-0100 9006	94341100	187	54.6	100	Silver
ASPU 1850-0150 7024	94342150	187	54.6	150	Graphite grey
ASPU 1850-0150 9006	94341150	187	54.6	150	Silver
ASPU 1850-0200 7024	94342200	187	54.6	200	Graphite grey
ASPU 1850-0200 9006	94341200	187	54.6	200	Silver
ASPU 1850-1000 7024	94342000	187	54.6	1000	Graphite grey
ASPU 1850-1000 9006	94341000	187	54.6	1000	Silver



Scope Of Delivery: Enclosure profile

Notes: C = profile length, special lengths on request.



Alustyle

Front panels for enclosure profiles, open on one side



Front panels, 2 mm, natural-coloured anodised aluminium

Model	Order no.	Note
ASPU 830-0100 FP2	94310100	For ASPU 830-0100, 2 mm
ASPU 830-0150 FP2	94310150	For ASPU 830-0150, 2 mm
ASPU 830-0200 FP2	94310200	For ASPU 830-0200, 2 mm
ASPU 830-1000 FP2	94310000	For ASPU 830-1000, 2 mm
ASPU 1030-0100 FP2	94320100	For ASPU 1030-0100, 2 mm
ASPU 1030-0150 FP2	94320150	For ASPU 1030-0150, 2 mm
ASPU 1030-0200 FP2	94320200	For ASPU 1030-0200, 2 mm
ASPU 1030-1000 FP2	94320000	For ASPU 1030-1000, 2 mm
ASPU 1230-0100 FP2	94330100	For ASPU 1230-0100, 2 mm
ASPU 1230-0150 FP2	94330150	For ASPU 1230-0150, 2 mm
ASPU 1230-0200 FP2	94330200	For ASPU 1230-0200, 2 mm
ASPU 1230-1000 FP2	94330000	For ASPU 1230-1000, 2 mm
ASPU 1540-0100 FP2	94350100	For ASPU 1540-0100, 2 mm
ASPU 1540-0150 FP2	94350150	For ASPU 1540-0150, 2 mm
ASPU 1540-0200 FP2	94350200	For ASPU 1540-0200, 2 mm
ASPU 1540-1000 FP2	94350000	For ASPU 1540-1000, 2 mm
ASPU 1850-0100 FP2,5	94340100	For ASPU 1850-0100, 2,5 mm
ASPU 1850-0150 FP2,5	94340150	For ASPU 1850-0150, 2,5 mm
ASPU 1850-0200 FP2,5	94340200	For ASPU 1850-0200, 2,5 mm
ASPU 1850-1000 FP2,5	94340000	For ASPU 1850-1000, 2,5 mm

Scope Of Delivery: 1 front panel

Alustyle

Cover

End cover

Model	Order no.	Colour	Note
ASD 830-7024	94412100	Graphite grey	For ASP... 830
ASD 830-9006	94411100	Silver	For ASP... 830
ASD 1030-7024	94422100	Graphite grey	For ASP... 1030
ASD 1030-9006	94421100	Silver	For ASP... 1030
ASD 1230-7024	94432100	Graphite grey	For ASP... 1230
ASD 1230-9006	94431100	Silver	For ASP... 1230
ASD 1540-7024	94452100	Graphite grey	For ASP... 1540
ASD 1540-9006	94451100	Silver	For ASP... 1540
ASD 1835-7024	94472100	Graphite grey	For ASP... 1835
ASD 1835-9006	94471100	Silver	For ASP... 1835
ASD 1850-7024	94442100	Graphite grey	For ASP... 1850
ASD 1850-9006	94441100	Silver	For ASP... 1850




Scope Of Delivery: Lid including dark grey seal, screws, graphite grey screw covers

Notes: max. achievable ingress protection IP 66 / IP 68 – 1.2m (2 hrs.) (dependent on profile version)

Mounting lid with removable aluminium cap

Model	Order no.	Colour	Note
ASM 830 AL-7024	94412400	Graphite grey	For ASP... 830
ASM 830 AL-9006	94411400	Silver	For ASP... 830
ASM 1030 AL-7024	94422400	Graphite grey	For ASP... 1030
ASM 1030 AL-9006	94421400	Silver	For ASP... 1030
ASM 1230 AL-7024	94432400	Graphite grey	For ASP... 1230
ASM 1230 AL-9006	94431400	Silver	For ASP... 1230



Scope Of Delivery: Lid including dark grey seal, screws, aluminium cap, cap seal, screws, graphite grey screw covers

Notes: max. achievable ingress protection IP 65 (dependent on profile version)

Mounting lid with hinged aluminium flap; hinged side = membrane side

Model	Order no.	Colour	Note
ASM 830 SAL1-7024	94412200*	Graphite grey	For ASP... 830
ASM 830 SAL1-9006	94411200*	Silver	For ASP... 830
ASM 1030 SAL1-7024	94422200*	Graphite grey	For ASP... 1030
ASM 1030 SAL1-9006	94421200*	Silver	For ASP... 1030
ASM 1230 SAL1-7024	94432200*	Graphite grey	For ASP... 1230
ASM 1230 SAL1-9006	94431200*	Silver	For ASP... 1230




Scope Of Delivery: Lid including dark grey seal and aluminium flap, flap seal, screws, graphite grey screw covers

Notes: max. achievable ingress protection IP 65 (dependent on profile version)

Alustyle

Cover



Mounting lid with hinged aluminium flap; hinged side = smooth side

Model	Order no.	Colour	Note
ASM 830 SAL2-7024	94412300*	Graphite grey	For ASP... 830
ASM 830 SAL2-9006	94411300*	Silver	For ASP... 830
ASM 1030 SAL2-7024	94422300*	Graphite grey	For ASP... 1030
ASM 1030 SAL2-9006	94421300*	Silver	For ASP... 1030
ASM 1230 SAL2-7024	94432300*	Graphite grey	For ASP... 1230
ASM 1230 SAL2-9006	94431300*	Silver	For ASP... 1230

Scope Of Delivery: Lid including dark grey seal and aluminium flap, flap seal, screws, graphite grey screw covers

Notes: max. achievable ingress protection IP 65 (dependent on profile version)



Design lid for profile size 1230

Model	Order no.	Colour
ASD 1230 D-9006	94431600*	Silver
ASD 1230 D-7024	94432600*	Graphite grey

Scope Of Delivery: Lid including dark grey seal, screws, graphite grey screw covers

Alustyle

Seals

Seals, green

Model	Order no.	Note
AS 830 DI	94513000	For ASD/ASM 830...
AS 1030 DI	94523000	For ASD/ASM 1030...
AS 1230 DI	94533000	For ASD/ASM 1230...
AS 1540 DI	94563000	For ASD 1540...
AS 1835 DI	94573000*	For ASD 1835...
AS 1850 DI	94543000	For ASD/ASM 1850...

Scope Of Delivery: 10 seals



Seals, red

Model	Order no.	Note
AS 830 DI	94515000	For ASD/ASM 830...
AS 1030 DI	94525000	For ASD/ASM 1030...
AS 1230 DI	94535000	For ASD/ASM 1230...
AS 1540 DI	94565000	For ASD 1540...
AS 1835 DI	94575000*	For ASD 1835...
AS 1850 DI	94545000	For ASD/ASM 1850...

Scope Of Delivery: 10 seals



Seals, blue

Model	Order no.	Note
AS 830 DI	94514000	For ASD/ASM 830...
AS 1030 DI	94524000	For ASD/ASM 1030...
AS 1230 DI	94534000	For ASD/ASM 1230...
AS 1540 DI	94564000	For ASD 1540...
AS 1835 DI	94574000*	For ASD 1835...
AS 1850 DI	94544000	For ASD/ASM 1850...

Scope Of Delivery: 10 seals



Seals, orange

Model	Order no.	Note
AS 830 DI	94516000	For ASD/ASM 830...
AS 1030 DI	94526000	For ASD/ASM 1030...
AS 1230 DI	94536000	For ASD/ASM 1230...
AS 1540 DI	94566000	For ASD 1540...
AS 1835 DI	94576000*	For ASD 1835...
AS 1850 DI	94546000	For ASD/ASM 1850...

Scope Of Delivery: 10 seals



Alustyle

Seals



EMC seal, black

Model	Order no.	Note
AS 830 DI-EMV	94518100	For ASD/ASM 830...
AS 1030 DI-EMV	94528100	For ASD/ASM 1030...
AS 1230 DI-EMV	94538100	For ASD/ASM 1230...
AS 1540 DI-EMV	94568100	For ASD 1540...
AS 1835 DI-EMV	94578100*	For ASD 1835...
AS 1850 DI-EMV	94548100	For ASD/ASM 1850...

Scope Of Delivery: 10 seals

Alustyle

Seals

Impact protection seals, green

Model	Order no.	Note
AS 830 DI-S	94513200	For ASD 830-...
AS 1030 DI-S	94523200	For ASD 1030-...
AS 1230 DI-S	94533200	For ASD 1230-...

Scope Of Delivery: 1 impact protection seal, graphite grey screw covers



Impact protection seals, red

Model	Order no.	Note
AS 830 DI-S	94515200	For ASD 830-...
AS 1030 DI-S	94525200	For ASD 1030-...
AS 1230 DI-S	94535200	For ASD 1230-...

Scope Of Delivery: 1 impact protection seal, graphite grey screw covers



Impact protection seals, blue

Model	Order no.	Note
AS 830 DI-S	94514200	For ASD 830-...
AS 1030 DI-S	94524200	For ASD 1030-...
AS 1230 DI-S	94534200	For ASD 1230-...

Scope Of Delivery: 1 impact protection seal, graphite grey screw covers



Impact protection seals, orange

Model	Order no.	Note
AS 830 DI-S	94516200	For ASD 830-...
AS 1030 DI-S	94526200	For ASD 1030-...
AS 1230 DI-S	94536200	For ASD 1230-...

Scope Of Delivery: 1 impact protection seal, graphite grey screw covers



Impact protection seals, dark grey


Model	Order no.	Note
AS 830 DI-S	94517200	For ASD 830-...
AS 1030 DI-S	94527200	For ASD 1030-...
AS 1230 DI-S	94537200	For ASD 1230-...

Scope Of Delivery: 1 impact protection seal, graphite grey screw covers



Alustyle

Decor elements




Decor strips, TPE

Model	Order no.	Colour	Note
AS 20-0050 DS	94605050	Red	Length 48.4 mm
AS 20-0050 DS	94603050	Green	Length 48.4 mm
AS 20-0050 DS	94606050	Orange	Length 48.4 mm
AS 20-0050 DS	94604050	Blue	Length 48.4 mm
AS 20-0050 DS	94607050	Dark grey	Length 48.4 mm
AS 20-0100 DS	94605100	Red	Length 98.4 mm
AS 20-0100 DS	94603100	Green	Length 98.4 mm
AS 20-0100 DS	94606100	Orange	Length 98.4 mm
AS 20-0100 DS	94604100	Blue	Length 98.4 mm
AS 20-0100 DS	94607100	Dark grey	Length 98.4 mm
AS 20-0150 DS	94605150	Red	Length 148.4 mm
AS 20-0150 DS	94603150	Green	Length 148.4 mm
AS 20-0150 DS	94606150	Orange	Length 148.4 mm
AS 20-0150 DS	94604150	Blue	Length 148.4 mm
AS 20-0150 DS	94607150	Dark grey	Length 148.4 mm
AS 20-0200 DS	94605200	Red	Length 198.4 mm
AS 20-0200 DS	94603200	Green	Length 198.4 mm
AS 20-0200 DS	94606200	Orange	Length 198.4 mm
AS 20-0200 DS	94604200	Blue	Length 198.4 mm
AS 20-0200 DS	94607200	Dark grey	Length 198.4 mm

Scope Of Delivery: 10 decor strips

Notes: Mounting in the side system grooves. Special lengths up to max. 310 mm on request. As an alternative, individually printed membranes can be used.



Coloured covers for wall brackets

Model	Order no.	Colour	Note
AS 0030 AK-WB-rot	94785000	Red	For AS 0030-...WB-..., IT 0000.. WB
AS 0030 AK-WB-grün	94783000	Green	For AS 0030-...WB-..., IT 0000.. WB
AS 0030 AK-WB-orange	94786000	Orange	For AS 0030-...WB-..., IT 0000.. WB
AS 0030 AK-WB-blau	94784000	Blue	For AS 0030-...WB-..., IT 0000.. WB
AS 0050 AK-WB-rot	94795000	Red	For AS 0050-...WB-...
AS 0050 AK-WB grün	94793000	Green	For AS 0050-...WB-...
AS 0050 AK-WB-orange	94796000	Orange	For AS 0050-...WB-...
AS 0050 AK-WB-blau	94794000	Blue	For AS 0050-...WB-...

Scope Of Delivery: 4 covers (TPE)

Alustyle

Accessories

Wall brackets

Model	Order no.	Colour	Note
AS 0030-0100 WB-7024	94772100	Graphite grey	For AS 830/1030/1230, for profile length 100 mm
AS 0030-0100 WB-9006	94771100	Silver	For AS 830/1030/1230, for profile length 100 mm
AS 0030-0150 WB-7024	94772150	Graphite grey	For AS 830/1030/1230, for profile length 150 mm
AS 0030-0150 WB-9006	94771150	Silver	For AS 830/1030/1230, for profile length 150 mm
AS 0030-0200 WB-7024	94772200	Graphite grey	For AS 830/1030/1230, for profile length 200 mm
AS 0030-0200 WB-9006	94771200	Silver	For AS 830/1030/1230, for profile length 200 mm
AS 0050-0100 WB-7024	94742100	Graphite grey	For AS 1540/1850, for profile length 100 mm
AS 0050-0100 WB-9006	94741100	Silver	For AS 1540/1850, for profile length 100 mm
AS 0050-0150 WB-7024	94742150	Graphite grey	For AS 1540/1850, for profile length 150 mm
AS 0050-0150 WB-9006	94741150	Silver	For AS 1540/1850, for profile length 150 mm
AS 0050-0200 WB-7024	94742200	Graphite grey	For AS 1540/1850, for profile length 200 mm
AS 0050-0200 WB-9006	94741200	Silver	For AS 1540/1850, for profile length 200 mm




Scope Of Delivery: 2 wall fittings (aluminium, powder-coated), 4 covers, graphite grey (TPE)

Notes: The wall fittings can be mounted on the closed enclosure at a later date. Special lengths on request.

Wall brackets

Model	Order no.	Colour	Note
AS 0030-0100 WL-7024	94722100	Graphite grey	For AS 830/1030/1230, for profile length 100 mm
AS 0030-0100 WL-9006	94721100	Silver	For AS 830/1030/1230, for profile length 100 mm
AS 0030-0150 WL-7024	94722150	Graphite grey	For AS 830/1030/1230, for profile length 150 mm
AS 0030-0150 WL-9006	94721150	Silver	For AS 830/1030/1230, for profile length 150 mm
AS 0030-0200 WL-7024	94722200	Graphite grey	For AS 830/1030/1230, for profile length 200 mm
AS 0030-0200 WL-9006	94721200	Silver	For AS 830/1030/1230, for profile length 200 mm
AS 0040-0100 WL-7024	94702100	Graphite grey	For AS 1540, for profile length 100 mm
AS 0040-0100 WL-9006	94701100	Silver	For AS 1540, for profile length 100 mm
AS 0040-0150 WL-7024	94702150	Graphite grey	For AS 1540, for profile length 150 mm
AS 0040-0150 WL-9006	94701150	Silver	For AS 1540, for profile length 150 mm
AS 0040-0200 WL-7024	94702200	Graphite grey	For AS 1540, for profile length 200 mm
AS 0040-0200 WL-9006	94701200	Silver	For AS 1540, for profile length 200 mm
AS 0050-0100 WL-7024	94712100	Graphite grey	For AS 1850, for profile length 100 mm
AS 0050-0100 WL-9006	94711100	Silver	For AS 1850, for profile length 100 mm
AS 0050-0150 WL-7024	94712150	Graphite grey	For AS 1850, for profile length 150 mm
AS 0050-0150 WL-9006	94711150	Silver	For AS 1850, for profile length 150 mm
AS 0050-0200 WL-7024	94712200	Graphite grey	For AS 1850, for profile length 200 mm
AS 0050-0200 WL-9006	94711200	Silver	For AS 1850, for profile length 200 mm



Scope Of Delivery: 2 wall brackets (aluminium, powder-coated)

Notes: Special lengths on request.

Universal wall fittings

Model	Order no.	Colour	Note
AS 0100-7024 UWB	94810024*	Graphite grey	For profile length 100 mm
AS 0150-7024 UWB	94815024*	Graphite grey	For profile length 150 mm
AS 0200-7024 UWB	94820024*	Graphite grey	For profile length 200 mm

Scope Of Delivery: Profile (aluminium), 2 PA6 side flanges (complete), screws, covers

Notes: Special lengths on request.



Alustyle

Accessories



Tower feet

Model	Order no.	Colour	Note
AS 0030-0025 T-7024	94762025	Graphite grey	For AS 830/1030/1230, length 25 mm
AS 0030-0025 T-9006	94761025	Silver	For AS 830/1030/1230, length 25 mm
AS 0030-0100 T-7024	94762100	Graphite grey	For AS 830/1030/1230, for profile length 100 mm
AS 0030-0100 T-9006	94761100	Silver	For AS 830/1030/1230, for profile length 100 mm
AS 0030-0150 T-7024	94762150	Graphite grey	For AS 830/1030/1230, for profile length 150 mm
AS 0030-0150 T-9006	94761150	Silver	For AS 830/1030/1230, for profile length 150 mm
AS 0030-0200 T-7024	94762200	Graphite grey	For AS 830/1030/1230, for profile length 200 mm
AS 0030-0200 T-9006	94761200	Silver	For AS 830/1030/1230, for profile length 200 mm
AS 0050-0025 T-7024	94732025*	Graphite grey	For AS 1540/1850, length 25 mm
AS 0050-0025 T-9006	94731025*	Silver	For AS 1540/1850, length 25 mm
AS 0050-0100 T-7024	94732100*	Graphite grey	For AS 1540/1850, for profile length 100 mm
AS 0050-0100 T-9006	94731100*	Silver	For AS 1540/1850, for profile length 100 mm
AS 0050-0150 T-7024	94732150*	Graphite grey	For AS 1540/1850, for profile length 150 mm
AS 0050-0150 T-9006	94731150*	Silver	For AS 1540/1850, for profile length 150 mm
AS 0050-0200 T-7024	94732200*	Graphite grey	For AS 1540/1850, for profile length 200 mm
AS 0050-0200 T-9006	94731200*	Silver	For AS 1540/1850, for profile length 200 mm

Scope Of Delivery: 1 tower foot (aluminium), 4 rubber feet or 2 tower feet (aluminium), 4 rubber feet with AS 0030-0025 T-...

Notes: For 25 mm length, decor strips are needed to fill the grooves. AS 0050-....T-.... can also be used as a console tip-up foot for AS 830/1030/1230. Special lengths on request.



Tip-up feet

Model	Order no.	Colour	Note
AS 0030-0025 A-7024	94752025*	Graphite grey	Tip-up foot, length 25 mm
AS 0030-0025 A-9006	94751025*	Silver	Tip-up foot, length 25 mm
AS 0030-0100 A-7024	94752100*	Graphite grey	For profile length 100 mm
AS 0030-0100 A-9006	94751100*	Silver	For profile length 100 mm
AS 0030-0150 A-7024	94752150*	Graphite grey	For profile length 150 mm
AS 0030-0150 A-9006	94751150*	Silver	For profile length 150 mm
AS 0030-0200 A-7024	94752200*	Graphite grey	For profile length 200 mm
AS 0030-0200 A-9006	94751200*	Silver	For profile length 200 mm

Scope Of Delivery: 1 tip-up foot (aluminium) or 2 tip-up feet (aluminium) with AS 0030-0025 A-...

Notes: For 25 mm length, decor strips are needed to fill the grooves. Special lengths on request.



Battery compartments

Model	Order no.	Note
AS-BE-3MN	94833000	For ASM 1030/1230, For 3 x mignon (LR6, R06, AM3, E91, AA)
AS-BE-4MN	94834000	For ASM 1030/1230, For 4 mignon batteries (LR6, R06, AM3, E91, AA)
AS-BE-9V	94839000	For ASM 830/1030/1230, For 9 V block (6LR61, 6AM6, 522)

Scope Of Delivery: 5 battery compartments

Notes: Processing of the ASM mounting lid is required if battery compartments are to be fitted.



BOPLA

A Phoenix Mecano Company